·						
FACSIMILE TRANSMITTAL FORM	Application Number	10/7	0/790898		A	
	Confirmation Number	258			CENTA	
	Filing Date	Mar	March 1, 2004		AU	
	First Named Inventor	Willi	ams	ams, Todd R.		
	Examiner Name	Cather		ne Simone		
Fax: 571-273-8300	Attorney Docket Number	56523US009				
Total Number of Pages in This	Submission: 12 (including	cove	Γ)			
Date: August 31, 2006	Attorney for Applicant: Stephen W. Buckingham					
ENCLOSURES (check all that apply)						
☐ Fee Transmittal Form ☐ Issue Fee Transmittal ☐ Amendment Transmittal	Petition			Appeal Communicat Board of Appeals an Interferences		
☐ Amendment/Reply ☐ After Final ☐ Affidavite/Declaration(s)	Petition to Convert a Provisi Application	ional	×	Appeal Communicat Technology Center ( Notice, Brief, Repty Bri	Appeal	
☐ Extension of Time Request	☐ Power of Attorney, Revocat	tion		Proprietary Informati	on	
Express Abandonment Request	Change of Correspondence Address			Status Letter		
☐ Information Disclosure Statement	☐ Terminal Disclaimer			Other Enclosures:		
Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR § 1.52 or 1.53 Response to Missing Parts under 35 USC 371 in US Designated/ Elected Office (DO/EO/US)	Request for Refund					
	Request for Continued Examination (RCE) Transmittal					
☐ Drawings	After Allowance Communication to Techno Center	logy				
REMARKS: Thank you.						

THE INFORMATION CONTAINED IN THIS FACSIMILE TRANSMISSION MAY CONTAIN CONFIDENTIAL OR LEGALLY PRIVILEGED INFORMATION INTENDED ONLY FOR THE PERSON OR ENTITY NAMED BELOW.

If you are not the intended recipient, please do not read, use, disclose, distribute or copy this transmission. If this transmission was received in error, please immediately notify me by telephone directly at 651-733-3379 or 651-733-1500, and we will arrange for its return at no cost to you.

B32692
Customer Number

Patent Case No.: 56523US009

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

REDEIVED CENTRAL PAX CENTER

First Named Inventor:

WILLIAMS, TODD R.

Application No.:

10/790898

Confirmation No.:

AUG 3 1 2008

Filed:

March 1, 2004

Title:

DIMENSIONALLY STABLE COMPOSITE ARTICLE

# **BRIEF ON APPEAL**

Mail Stop: Appeal Brief-Patents Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

CERTIFICATE OF MAILING	OR TRANSMISSION  37 CFR § 1.8	(a)]
------------------------	-------------------------------	------

I hereby certify that this correspondence is being:

- ☐ deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
- I transmitted by facsimile on the date shown below to the United States Patent and Trademark Office at 571-273-8300.

P-31-2006 MSUVELLEY

Date Signed by: Madonna Schroeder

Dear Sir:

This is an appeal from the Office Action mailed on February 13, 2006, in light of the Advisory Action mailed May 19, 2006, finally rejecting claims.

Please charge the fee provided in 37 CFR § 41.20(b)(2) to Deposit Account No. 13-3723. One copy of this sheet marked duplicate is also enclosed.

Any required fee will be paid at the time of EFS-Web submission.

☑ If necessary, charge any required fee, or credit any overpayment to Doposit Account
No. 13-3723.

A Notice of Appeal in this application was faxed on May 12, 2006, and was received in the USPTO on May 12, 2006.

Appellants request the opportunity for a personal appearance before the Board of Appeals to argue the issues of this appeal. The fee for the personal appearance will be timely paid upon receipt of the Examiner's Answer.



Case No.: 56523US009

# REAL PARTY IN INTEREST

The real parties in interest are 3M Company (formerly known as Minnesota Mining and Manufacturing Company) of St. Paul, Minnesota and its affiliate 3M Innovative Properties Company of St. Paul, Minnesota.

# RELATED APPEALS AND INTERFERENCES

The application on appeal is a divisional of United States patent application 09/871,421, now United States patent 6,858,253. Appellants are unaware of any related appeals or interferences.

#### STATUS OF CLAIMS

Claims 1 through 26 are pending. Claims 1 through 26 stand rejected. Claims 1 through 26 are appealed.

# STATUS OF AMENDMENTS

No amendments have been filed after the final rejection.

### SUMMARY OF CLAIMED SUBJECT MATTER

The independent claims on appeal are claims 1 and 11.

Claim 1 concerns composite articles having large scale predictable dimensional stability (p. 8, lines 1 through 4; p. 12 line 24 through p. 13 line 17). The structures include a metal foil (p. 9 line 9 through p. 10 line 17; p. 14 lines 13 through 18; p. 16 line 7; Fig. 1 ref. num. 10; Fig. 2 ref. num. 33; Figure 3; Fig. 3 ref. num. 67). The composite article also includes a layer of a radiation cured polymer (p. 12 lines 12 through 23; p. 13 lines 18 through 27; page 14 lines 18 through 26; Fig. 1 ref. num. 14; Fig. 2 ref. num. 36). The layer of a radiation cured polymer has a front surface bearing a three dimensional microstructure of precisely shaped and located functional discontinuities (p. 7 lines 24 through 28; p. 11 line 16 through page 12 line 4; p. 15 line 17 through p. 16 line 2). In some embodiments the functional discontinuities are interactive (p. 7 lines 29 through 31).

Case No.: 56523US009

Claim 11 concerns composite articles having large scale predictable dimensional stability (p. 8, lines 1 through 4; p. 12 line 24 through p. 13 line 17). The structures include a metal foil (p. 9 line 9 through p. 10 line 17; p. 14 lines 13 through 18; p. 16 line 7; Fig. 1 ref. num. 10; Fig. 2 ref. num. 33; Figure 3; Fig. 3 ref. num. 67). The composite article also includes a layer of a radiation cured polymer (p. 12 lines 12 through 23; p. 13 lines 18 through 27; page 14 lines 18 through 26; Fig. 1 ref. num. 14; Fig. 2 ref. num. 36). The layer of a radiation cured polymer has a front surface bearing a three dimensional microstructure of precisely shaped and located functional discontinuities (p. 7 lines 24 through 28; p. 11 line 16 through page 12 line 4; p. 15 line 17 through p. 16 line 2). The functional discontinuities are interactive (p. 7 lines 29 through 31).

# GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

# First Ground of Rejection

Claims 1 through 11 and 13 through 22 stand rejected under 35 USC § 102(b) as purportedly anticipated by any one of U.S. Patents No. 5,468,540 ("Lu").

#### Second Ground of Rejection

Claims 12 and 23 through 26 stand rejected under 35 USC § 103(a) as purportedly unpatentable over the teachings of the Lu patent.

#### ARGUMENT

### Rejection Under 35 U.S.C. §102(b)

The Examiner has asserted that the Lu patent teaches all limitations of claims 1 through 11 and 13 through 22. While not conceding that the remaining limitations of the claims are either met or obvious, the Examiner's rejection is clearly wrong since there is nothing in Lu to suggest the limitation that article have "long scale predictable dimensional stability." The Examiner has asserted that the Lu patent teaches this property, but has not cited anything in Lu to suggest it.

The appellants have pointed out that lines 1 through 4 of page 8 of the specification specifically state that "The term 'long term predictable dimensional stability' refers to the ability of a segment of a shaped sheet-like substrate to retain substantially its predicted

Case No.: 56523US009

dimensions after being heated to a heated environment of 150°C of less for 60 minutes or less and then returned to room temperature." Since the Lu patent only teaches polyvinyl chloride which has a glass transition temperature of about 78°C, it certainly does not meet this limitation. In response to the argument that this term, as defined, was not taught by the Lu patent, the Examiner stated that those features "are not recited by the rejected claim(s)." The applicants argued that because the specification provides a specific definition of this phrase, it is effectively recited in the claims. The Examiner rejected this position in the Advisory Action.

Contrary to the Examiner's position, a patent applicant is clearly permitted to define a term and then use the term to have the defined meaning in the claims. The Manual of Patent Examining Procedure states that "This means that words of the claim must be given their plain meaning unless applicant has provided a clear definition in the specification." MPEP §2111.01 [emphasis added] If the Examiner is attempting to assert the "plain meaning" of the claim terms, then she needs to articulate what that meaning is and how it is taught by the Lu patent. She has not done so. This position is further supported by the MPEP when it states, "When the specification states the meaning that a term in the claim is intended to have, the claim is examined using that meaning." MPEP §2173.05(a) To the extent that the Examiner cites cases where the applicant was not permitted to read limitations from the specification into the claim, it is not because those applicants were not permitted to define a term in the specification, but because they did not clearly indicate the intention to provide such definitions. Clearly the applicants have provided a definition for the phrase "long term predictable dimensional stability" and have used that phrase as defined. The Lu reference does not teach an article with long term predictable dimensional stability as that term is defined.

Even if the Examiner was correct in her statement of the law, and she clearly is not, she still would not have made out a proper rejection under 35 U.S.C. §102(b). She has merely asserted that the Lu patent teaches an object having long term predictable dimensional stability. She has not cited any teaching in that patent to indicate that the articles described therein actually have this property. She has not even indicated what she considers this phrase to mean, if it is something other than what applicants have defined it to mean so that it would be possible to judge whether the reference teaches that property.

Case No.: 56523US009

# Rejection Under 35 U.S.C. §103(a)

The Examiner asserts, again without providing a justification, that the only things included in claims 12 and 23 through 26 that Lu does not teach would be obvious to one of ordinary skill in the art. As previously explained, because the Lu reference does not teach or suggest that the items have long term predictable dimensional stability as required by all of the presently pending claims, those claims are clearly not anticipated by the Lu patent. Because the Lu patent does not provide anything to suggest or lead one of ordinary skill in the art to the conclusion that it is desirable for the articles to have such stability, much less how such stability could be accomplished, they are also not obvious. Clearly, the invention, as defined by the presently pending claims, is patentable.

Case No.: 56523US009

### CONCLUSION

For the foregoing reasons, the Examiner has erred in rejecting this application. The appellants respectfully request that the Board of Patent Appeals and Interferences reverse the Examiner on all counts.

Respectfully submitted,

Stephen W. Buckingham, Reg. No.: 30,035

Telephone No.: 651-733-3379

Office of Intellectual Property Counsel 3M Innovative Properties Company Facsimile No.: 651-736-3833

Case No.: 56523US009

# CLAIMS APPENDIX

- 1. A composite article having large scale predictable dimensional stability comprising:
  - a. a metal foil backing having a back surface and an opposite front surface; and
  - b. a layer of a radiation cured polymer having an exposed front surface bearing a threedimensional microstructure of precisely shaped and located functional discontinuities including distal surface portions and adjacent depressed surface portions and an opposite surface in adherent contact with the front surface of said backing.
- 2. The composite article of claim 1 wherein said metal foil backing comprises a metal selected from the group consisting of copper, aluminum, zinc, titanium, tin, iron, nickel, gold, silver, combinations thereof and alloys thereof.
- 3. The composite article of claim 1 wherein said radiation cured polymer is a cured oligomeric resin.
- 4. The composite article of claim 1 wherein said radiation cured polymer is cured by electron beam radiation and said metal foil backing is e-beam radiation transmissive.
- 5. The composite article of claim 1 wherein said radiation cured polymer is cured by actinic radiation.
- 6. The composite article of claim 1 wherein said radiation cured polymer is cured by thermal radiation.
- 7. The composite article of claim 1 wherein the depressed areas are wells which are shaped for receiving and holding complementarily shaped articles.
- 8. The composite article of claim 7 in which the cavities are shaped to receive gyricon spheres.

Case No.: 56523US009

- 9. The composite article of claim 2 wherein the metal foil comprises a metal selected from the group consisting of copper and aluminum.
- The composite article of claim 7 in which the cavities are shaped to receive conductive spheroids.
- 11. A composite article having large scale predictable dimensional stability comprising:
  - a. a metal foil backing having a back surface and an opposite front surface; and
  - b. a layer of a radiation cured polymer having an exposed front surface bearing a threedimensional microstructure of precisely shaped and located interactive functional discontinuities including distal surface portions and adjacent depressed surface portions and an opposite surface in adherent contact with the front surface of said backing.
- 12. The composite article of claim 11 wherein at least one portion of the polymer layer includes a distal surface portion distally spaced at least 0.05 mm from an adjacent depressed surface portion.
- 13. The composite article of claim 11 wherein said metal foil backing comprises a metal selected from the group consisting of copper, aluminum, zinc, titanium, tin, iron, nickel, gold, silver, combinations thereof and alloys thereof.
- 14. The composite article of claim 11 wherein said radiation cured polymer is a cured oligomeric resin.
- 15. The composite article of claim 11 wherein said radiation cured polymer is cured by electron beam radiation and said metal foil backing is e-beam radiation transmissive.
- 16. The composite article of claim 11 wherein said radiation cured polymer is cured by actinic radiation.

Case No.: 56523US009

- The composite article of claim 11 wherein said radiation cured polymer is cured by 17. thermal radiation.
- 18. The composite article of claim 11 wherein the depressed areas are cavities which are shaped for receiving and holding complementarily shaped articles.
- The composite article of claim 18 in which the cavities are shaped to receive gyricon 19. spheres.
- 20. The composite article of claim 13 wherein the metal foil comprises a metal selected from the group consisting of copper and aluminum.
- 21. The composite article of claim 18 in which the cavities are shaped to receive conductive spheroids.
- 22. The composite article of claim 18 wherein the microstructure is shaped to provide an article which is useful as an etch mask.
- The composite article of claim 1 having a dimensional change of less than about 100 23. ppm.
- The composite article of claim 1 having a dimensional change of less than about 60 ppm. 24.
- 25. The composite article of claim 11 having a dimensional change of less than about 100 ppm.
- The composite article of claim 11 having a dimensional change of less than about 60 26. ppm.

Case No.: 56523US009

# EVIDENCE APPENDIX

None.

Case No.: 56523US009

# RELATED PROCEEDINGS APPENDIX

None.